

# COMRADE<sup>®</sup> 450 SC

**Fungicide for control of Downy mildew on roses and early blight and late blight on potatoes. (Kiuva kuvu cha kuthibiti Downy mildew kwenye waridi, na Early na late blight kwenye viazi.)**

**GUARANTEE (DHAMANA): Propamocarb HCl 400 g/L + Cymoxanil 50 g/L**

**READ LABEL BEFORE USE(SOMA KIBANDIKO KABLA YA KUTUMIA)  
KEEP LOCKED OUT OF REACH OF CHILDREN(FUNGIA MBALI NA WATOTO)  
COMMERCIAL & AGRICULTURAL CLASS (KUNDI LA BIASHARA NA KILIMO)  
REGISTRATION NO. (NAMBARI YA USAJILI): PCPB (CR) 1429**

## FUNGICIDE

**In case of poisoning, call (24hr) Toll Free number  
Wakati wa kusumika, piga simu (masaa 24)  
0800720021/0800730030**

Distributed by  
(Wasambazaji):



**Greenlife**  
CROP PROTECTION AFRICA  
Your Growth, Our Growth



#.361

**1L**  
Net Contents  
(Kiasi)

Comrade<sup>®</sup> 450 SC is a Trademark of (alama ya biashara ya): Greenlife Crop Protection Africa.

Batch No.

(Nambari ya kifurushi)

20191101

Date of Manufacture (Tarehe ya kutengenezwa):

11.2021

Expiry Date, (Tumia Kabla ya):

11.2021

**Shelf Life (Maisha Rafuni): 2 years from the date of manufacture when stored in original unopened container in a cool dry place.  
(Miaka miwili baada ya tarehe ya kutengenezwa kama imehifadhiwa kwenye chombo chake asili pahali pakavu pasipo na joto jingi)**



**CAUTION  
(Tahadhari)**



**DESCRIPTION: COMRADE<sup>®</sup> 450 SC** is a broad-spectrum systemic fungicide with preventive and curative action for control of Downy mildew on roses and early blight and late blight on potatoes.

**MODE OF ACTION: Propamocarb Hydrochloride** belongs to Carbamate group which disrupts the formation of fungal cell walls by interfering with synthesis of phospholipids and fatty acids. It affects mycelia growth, spore production and germination. **Cymoxanil** belongs to **Cyanoacetamide Oxime** group which has protective and curative action. It has contact and local systemic activity. It acts by inhibiting sporulation.

To manage resistance of **COMRADE<sup>®</sup> 450 SC**, alternate with other fungicides with different mode of action.

**APPLICATION METHOD:**

Crop	Diseases	Rate
Roses	Downy mildew	1L/ha in 1000L of water.
Potatoes	Early blight and Late blight	(20ml in 20L of water)

**PHI:** Potatoes 14 days

**APPLICATION TIMING:** Start applying **COMRADE<sup>®</sup> 450 SC** at the onset of disease development. Repeat application every 7 days

**APPLICATION TECHNIQUE:** Apply **COMRADE<sup>®</sup> 450 SC** using 1000L of water per hectare. Ensure adequate coverage of the crop foliage.

**PREPARATION OF SPRAY MIXTURE:** Fill spray tank with half the amount of required water. Add required amount of **COMRADE<sup>®</sup> 450 SC** and fill the water to the required level. Agitate to ensure thorough mixing.

**RE-ENTRY PERIOD:** Do not enter treated areas until 24 hours after spraying unless if wearing appropriate protective clothing.

**HAZARD/PRECAUTIONS:** Avoid contact with skin and eyes. When using, do not eat, drink or smoke. Wear overalls, safety glasses and impervious gloves. Wash contaminated clothing and other protective equipment before storage or re-use. **STORAGE:** Store in the original, closed, container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Keep out of the reach of children.

**DISPOSAL:** Triple rinse containers before disposal. Puncture or crush empty containers and dispose at a safe designated place away from water sources in accordance with National regulation. Do not reuse empty containers

**ENVIRONMENTAL HAZARDS: COMRADE<sup>®</sup> 450 SC** is harmful to fish. Do not contaminate streams, rivers or waterways with the chemical or used containers.

**FIRST AID TREATMENT:**

**Inhalation:** Move person to fresh air. If person is not breathing, give artificial respiration, preferably mouth-to-mouth if possible.

**Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**Eye contact:** Hold eye open and rinse slowly and gently with water for 15-20 minutes.

**Ingestion:** Do not give any liquid to the person. Do not induce vomiting. Do not give anything by mouth to an unconscious person. **SEEK MEDICAL ATTENTION. TOXICOLOGICAL INFORMATION:** Harmful if inhaled or swallowed. Mist or vapour is irritating to eyes and respiratory tract. May cause skin irritation Symptoms of poisoning: Salivation, incontinence and tremor.

**Antidote:** No specific antidote

Note to the physician: Treat symptomatically.

**In case of poisoning: call (24hr) toll free number 0800720021 or 0800730030**

**NOTICE TO USERS:** This pest control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Product Act to use or store a pest product under unsafe conditions.

**WARRANTY:** Sellers guarantee is limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling this product and accepts the product on that condition.

**MAELEZO: COMRADE<sup>®</sup> 450 SC** ni kiuva kuvu cha kuthibiti Downy mildew kwenye waridi, na Early na late blight kwenye viazi.

**INAVYOFANYA KAZI: Propamocarb Hydrochloride** inayotengeneza chombo cha Carbamate ambacho hutatiza ukauaji wa viini vya funguvinavotengeneza phospholipids na fatty acids Pia hutatiza uzalishaji na kuzuia kumea na kukua kwa viini hivyo. **Cymoxanil** iko kwenye kikundi cha **Cyanoacetamide oxime** ambacho hukinga na kuponya mimea kutokana na viini. Kudhibiti uzoefu wa **COMRADE<sup>®</sup> 450 SC**, badilisha na kiuva kuvu kinachofanya kazi kwa njia tofauti.

**KIPIMO CHA KUTUMIA:**

Mimea	Magonjwa	Kipimo
Waridi	Powdery mildew	Lita 1 kwa hektari kwa lita 1000 za maji
Viazi	Early blight na late blight	(millilita 20 kwa lita 20 za maji)

**MUDA SALAMA KABLA KUVUNA:** Viazi siku 14.

**WAKATI WA KUTUMIA:** Anza kutumia **COMRADE<sup>®</sup> 450 SC** wakati dalili za magonjwa zinapoonekana kwenye mimea. Rudia kila baada ya siku 7.

**JINSI YA KUTUMIA:** Nyunyuzia mimea kwa kutumia kiasi cha lita 1000 za mchanganyiko wa dawa na maji kwa hektari moja, ili kuhakikisha dawa imesambazwa vizuri kwenye matawi na maua.

**JINSI YA KUCHANGANYA:** Tia nusvu ya kiasi cha maji yanayochitajika kwenye bomba halafu ongeza kiwango cha **COMRADE<sup>®</sup> 450 SC** kinachohitajika. Kisha ongeza maji yaliyobakia huku ukikoroga vizuri.

**MUDA SALAMA WA KUNINGIA PALIPONYUNIZIWA:** Usingie paliponyunizwa kabla ya masaa 24 kukamilika. Ikiwa utalazimika kuingia, wa mavazi rasmi ya kujikinga

**TAHADHARI:** Vaa mavazi ya kinga ya uso, mifuko ya raba ya mikonjo, overal na viatu visivyopenyewa dawa unapochanganywa na kunyunyuzia dawa hii. Usinyunyuzie dawa hii ukielekea unakotoka upepo. Epuka dawa kuingia kwenye macho, mapua au kugusana na ngozi. Usilie, kunywa wala kuvuta sigara unapoitumia dawa hii. Baada ya kutumia dawa, osha vizuri bomba ya kunyunyuzia dawa na mavazi ya kujikinga. Oga mikonjo na uso kwa maji na sabuni.

**KUHIFADHI:** Dawa hii yafaa kuhifadhiwa kwenye chombo chake asili, pahali pakavu, pasipo na joto jingi huku ukiepuka kuchanganywa na vyakula. Weka mbali na watoto.

**UTUPAJI:** Chombo kitupu cha dawa hii chafaa kusafishwa mara tatu, kutobolewa na kutupwa pahali palipotengwa, mbali na chemchemi au hifadhi ya maji kulingana na sheria na msharti za utupaji kemikali. Ustumiye chombo kitupu kwa kazi zingine zozote.

**ATHARI KWA MAZINGIRA: COMRADE<sup>®</sup> 450 SC** haina madhara kwa ndege, nyuki. Yadhuru samaki, kwa hivyo dawa yenyewe, mabaki yake au chombo kitupu hazifai kutumia au kutupwa kwa njia itakayokuchafua viima, mito, vidimbwi, au chemchemi za maji.

**HUDUMA YA KWANZA:**

Kivutwa kwa mapua: Peleka mhadhirwa palipo na hewa safi. Ikiwa hapumui, msaidie kupumua. Ikgusana na ngozi: Vua nguo zilizogusana na dawa, safisha ngozi vizuri kwa maji mengi kwa dakika 15-20.

Ikingia kwa macho: Fungua na kuyaosha macho kwa maji mengi kwa dakika 15-20.

Kimezwa: Usimnyweshe chochote mhadhirwa. usimpatishie mhadhirwa. **PELEKA MJERUHI KWA DAKTARI.**

**MAELEZO KUHUSU SUMU:** Inadhuru ikimezwa, ikingia machoni au ikigusa ngozi.

Dalili za kusumika: Kutokwa na mate, kutetemeka, kuenda haja ndogo na kubwa pasipo kujimudu.

Makata: Hakuna tiba maalum.

Arifa kwa daktari: Tibu kulingana na dalili za kusumika.

**Wakati wa kusumika, piga simu (masaa 24) bila malipo 0800720021 au 0800730030**

**ILANI KWA MTUMIAJI:** Dawa hii sharti itumie kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo lazima dawa hii katika hali isiyosalama.

**THIBITISHO:** Dhamaana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo lazima yafuatwe kikamilifu. Mnuunzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima alikubali dawa katika hali hivyo.

**Greenlife**  
CROP PROTECTION AFRICA

P. O. Box 29482 - 00200, Nairobi Kenya. Fax: +254 738 98067

Mobile: +254 735 54654 +254 732 96368. Tel: +254 20 2441202

info@greenlife.co.ke www.greenlife.co.ke

Your Growth, Our Growth

Net Contents  
(Kiasi)  
**1L**